

Platform Specifications



Key Features

- Sunlight Readable
- High Contrast Ratio
- LVDS
- Long Lamp Life
- Fast Response Time
- Thin and Light
- 12 CCFL



SLO1544/48/SLD1544/48 (AUO M150XN07 V9)

Model No.	SLO1544/SLO1548	SLD1544/SLD1548
LCD Display	15" TFT LCD Module	15" TFT LCD Module
Display Area	304.128 x 228.096 mm	304.128 x 228.096 mm
Brightness	800 cd/m ² / 1600 cd/m ²	800 cd/m ² / 1600 cd/m ²
Resolution	1024x768 (XGA)	1024x768 (XGA)
Contrast Ratio	700 : 1	700 : 1
Pixel Pitch (mm)	0.297(H) x 0.297(V)	0.297(H) x 0.297(V)
Viewing Angle	+70°~-70°(H), +65°~-60°(V)	+70°~-70°(H), +65°~-60°(V)
Display Colors	16.2M colors	16.2M colors
Response Time	8ms (Typical)	8ms (Typical)
Sync	LVDS	LVDS
Power Consumption	47W	47W
Inverter	LI 1215A	LI 1215A
Control Board (Optional)	AD5621GA (Standard)	AD5621GA (Standard)
F / R Control Button	Power Switch, Menu, Select (+, -), Auto	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock....	
Dimensions (WxHxD)	389x325x60.1mm	389x325x61.6mm
Weight	3.83kgs	4.49kgs
Optional	☒ AOT ☒ Touch Screen	

Specifications are subject to change without notice. All brands or product names are trademarks or registered trademarks of their respective companies.

Control Board (Optional)	AD5621GA/AD5621GD/AD5766GDVA/AD1501GDV
☒ AD5621GA	VGA+Audio
☒ AD5621GD	VGA+DVI
☒ AD5766GDVA	VGA+CVBS+S-Video+Audio (Optional DVI / Component)
☒ AD1501GDV	VGA+DVI+S-Video
F / R Control Button	5 Key / 4 Key (Optional)
☒ 5 Key	Power Switch, Menu, Select (+, -), Auto
☒ 4 Key	Power Switch, Menu, Select (+, -)

SLO= Open Frame

SLD= Industrial Casing



A photograph of a museum platform. Three monitors are mounted on the wall, displaying various images. Below them is a long display case containing numerous small, framed photographs or documents. A person is visible in the background, looking at the display.

Platform

SLO1544/1548 Outline Dimensions
unit:mm



Note: 1. 4 different AD boards can be selectable.
2. Temper glass and touch screen can be installed.


██████████

Platform Specifications



Platform

SLD1544/1548 Outline Dimensions unit:mm



- Note:1.OSD membrane can be on front or rear cover.
2.4 different AD boards can be selectable.
3.Light sensor and VR are optional function.
4.Temper glass and touch screen can be installed.



Enrich your visual world....