

Platform Specifications



Platform

Key Features

Sunlight Readable
16:9 Wide
Wide Viewing Angle
High Contrast Ratio
LVDS
Long Lamp Life
Fast Response Time
Thin and Light
12 CCFL




SLO/SLD2225 (CMO M220Z1-L02)

Model No.	SLO2225	SLD2225
LCD Display	22" Wide TFT LCD Module	22" Wide TFT LCD Module
Display Area	473.76 x 296.1mm	473.76 x 296.1mm
Brightness	1000 cd/m ²	1000 cd/m ²
Resolution	1680x1050 (WSXGA ⁺)	1680x1050 (WSXGA ⁺)
Contrast Ratio	700 : 1	700 : 1
Pixel Pitch (mm)	0.282(H) x 0.282(V)	0.282(H) x 0.282(V)
Viewing Angle	+85 ~-85 (H), +80 ~-80 (V)	+85 ~-85 (H), +80 ~-80 (V)
Display Colors	16.7M colors	16.7M colors
Response Time	5ms (Typical)	5ms (Typical)
Sync	LVDS	LVDS
Power Consumption	70W	70W
Inverter	LI 1222A	LI 1222A
Control Board (Optional)	AD5621GA (Standard)	AD5621GA (Standard)
F / R Control Button	Power Switch, Menu, Select (+,-), Auto	
OSD Menu	Brightness, Contrast, H/V Position, Color, Phase, Clock....	
Dimensions (WxHxD)	545x370x60mm	545x370x61.6mm
Weight	5.68kgs	6.61kgs
Optional	Touch Screen	

Specifications are subject to change without notice. All brands or product names are trademarks or registered trademarks of their respective companies.

Control Board (Optional)	AD5766GDVA/AD1501GDV
AD5766GDVA	VGA+CVBS+S-Video+Audio (Optional DVI / Component)
AD1501GDV	VGA+DVI+S-Video
F / R Control Button	5 Key / 4 Key (Optional)
5 Key	Power Switch, Menu, Select (+,-), Auto
4 Key	Power Switch, Menu, Select (+,-)

SLO= Open Frame
SLD= Industrial Casing




Platform Specifications



Platform

SLO2225 Outline Dimensions unit:mm



- Note:1.OSD membrane can be on front or rear cover.
 2.4 different AD boards can be selectable.
 3.Light sensor and VR are optional function.
 4.Temper glass and touch screen can be installed.






Platform

Platform Specifications

SLD2225 Outline Dimensions unit:mm



- Note:
1. OSD membrane can be on front or rear cover.
 2. 4 different AD boards can be selectable.
 3. Light sensor and VR are optional function.
 4. Temper glass and touch screen can be installed.

